

MATERIAL CHARACTERISTICS

RECYLED MATERIAL	Polypropylen-Copolymer-Reggranulate
WATER ABSORPTION	< 0,1 %


PURPOSE OF USE

Component for the line drainage of surfaces in order to collect, transport and discharge rainwater from adjacent fixed surfaces.

MEAPARK DRAINAGE CHANNEL

WITH PLASTIC EDGE AND SEALING JOINT ACCORDING TO EN 1433


Drainage channel made of recycled material without slope. Clear width 100 mm, total width 132 mm. Suitable for channel covers **MEA 100 CLIPFIX**, **MEA 100 TOPFIX** and **TOPSLOTS TSC 100**. For the realization of water level slopes. Loading class B 125 according to EN 1433. Load capacity according to specification when installed according to the MEA installation instructions.



010141738

MEAPARK DRAINAGE CHANNEL WITHOUT FALL, LOADING CLASS B 125


Description	Order No.	Length [mm]	Height [mm]	kg/unit
MEAPARK channel body-1 m 1)	010141738	1000	90	0,80



010141704

MEAPARK COMPLETE CHANNEL WITH GALV. SLOTTED GRATING TOPFIX, LOADING CLASS A 15

Description	Order No.	Length [mm]	Height [mm]	kg/unit
MEAPARK complete channel with galvanised slotted grating, A 15-1 m TX 1) 22)	010141742	1000	90	2,00
MEAPARK 3-pack complete drainage channels with galvanised slotted gratings-A 15-TX, including drain socket Ø 110 mm, 2x end caps, dirt strainer 1) 22)	010141780	1000	90	6,53




010145125

MEAPARK COMPLETE CHANNEL WITH DUCTILE IRON SLOTTED GRATINGS CLIPFIX, LOADING CLASS B 125

Description	Order No.	Length [mm]	Height [mm]	kg/unit
MEAPARK complete channel with two ductile iron slotted gratings, B 125-1 m CX 1)	010141744	1000	90	2,00


1) Connection option for vertical drain Ø 110 mm
 22) Grating/grates loading class A 15 according to EN 1433



010152428

MEAPARK COMPLETE CHANNEL WITH PLASTIC SLOTTED GRATINGS CLIPFIX, LOADING CLASS B 125

Description	Order No.	Length [mm]	Height [mm]	kg/unit
MEAPARK complete channel with two plastic slotted gratings, B 125-1 m CX 1)	010141746	1000	90	2,00




010152860

MEAPARK COMPLETE CHANNEL WITH MEA TSC 100 TOPSLOTS, LOADING CLASS A 15

Description	Order No.	Length [mm]	Height [mm]	kg/unit
MEAPARK complete channel with two MEA TSC 100 TopSlots, A 15-1 m CX 1) 22)	010141748	1000	150	2,00

1) Connection option for vertical drain Ø 110 mm
 22) Grating/grates loading class A 15 according to EN 1433

MEAPARK ACCESSORIES



MEAPARK END CAP

Description	Order No.	Material	Height [mm]	kg/unit
MEAPARK.SE End cap closed for channel start/end with possible connector Ø 50 mm	010141740	PP	90	0,03

MEAPARK CONNECTION ACCESSORIES

Description	Order No.	Material	kg/unit
MEAPARK Drainage kit, contains vertical outlet connector, dirt filter and MEAPARK.SE end cap closed	010141781	Plastic	0,51
MEAPARK dirt strainer for drain outlet Ø 110 mm, suitable for MEAPARK drainage channels incl. MEA GARDII-LINE drain outlet 010150197 and for MEAPARK yard gullies	010141790	PP	0,01

This edition of the technical data sheet shall be valid from October 2022 until a revised version is published, and replaces any previous publications. The respectively current version is available for download at www.mea-group.com.

MEA Bautechnik GmbH
 Business Unit MEA Water Management
 Sudetenstraße 1
 86551 Aichach
 Tel.: +49 (0) 82 51. 91 0
 Fax: +49 (0) 82 51. 91 13 06
 E-Mail: info@mea-group.com
www.mea-group.com